

Discover Generics

Cost-Effective CT & MRI Contrast Agents





Safety and Efficacy of Aneurysm Treatment with the WEB

D.M. Pelz and S.P. Lownie

AJNR Am J Neuroradiol 2017, 38 (12) E109 doi: https://doi.org/10.3174/ajnr.A5387 http://www.ajnr.org/content/38/12/E109

This information is current as of June 19, 2025.

Safety and Efficacy of Aneurysm Treatment with the WEB

We read with interest the article by Pierot et al¹ regarding the results of the WEBCAST 2 study. We do, however, take issue with the statement that it confirms the "high" efficacy of the device. They reported a complete occlusion rate of 54% and "adequate" occlusion, including neck remnants, in 80% of 50 aneurysms (93% unruptured). The complete occlusion rate from neurosurgical clipping in the largest randomized controlled trials of coiling versus clipping of ruptured aneurysms was 96%.^{2,3} A meta-analysis of clipping of unruptured aneurysms showed a complete occlusion rate of 92%.⁴ Although the decision to proceed with endovascular therapy in WEBCAST was made by a multidisciplinary team, it may be wise to temper one's enthusiasm for novel endovascular devices when open neurosurgical treatment may offer a truly "high" level of efficacy.

REFERENCES

- Pierot L, Gubucz I, Buhk JH, et al. Safety and efficacy of aneurysm treatment with the WEB: results of the WEBCAST 2 study. *AJNR Am J Neuroradiol* 2017;38:1151–55 CrossRef Medline
- Spetzler RF, McDougall CG, Zabramski JM, et al. The Barrow Ruptured Aneurysm Trial: 6-year results. J Neurosurg 2015;123:609–17 CrossRef Medline
- Campi A, Ramzi N, Molyneux AJ, et al. Retreatment of ruptured cerebral aneurysms in patients randomized by coiling or clipping in the International Subarachnoid Aneurysm Trial (ISAT). Stroke 2007; 38:1538–44 CrossRef Medline
- Kotowski M, Naggara O, Darsaut TE, et al. Safety and occlusion rates of surgical treatment of unruptured intracranial aneurysms: a systematic review and meta-analysis of the literature from 1990 to 2011. *J Neurol Neurosurg Psychiatry* 2013;84:42–48 CrossRef Medline

D.M. Pelz S.P. Lownie

Departments of Medical Imaging and Clinical Neurological Sciences Schulich School of Medicine and Dentistry, Western University London, Ontario, Canada

http://dx.doi.org/10.3174/ajnr.A5387